

STEELDECK®




PLATFORM SYSTEMS

Catalog

May 2007

TOOLS:

Chain Clamp45
Ratchet Straps46
Supertool47
Torque Wrench48
Creeper49

**DESCRIPTION:**


Chain Clamp. Used to secure any item to another. Holds materials of various sizes and can be adjusted quickly. Same operation as standard vise clamp. Used to clamp parallel legs together on adjacent decks.

TECHNICAL SPECIFICATIONS:

<u>CARRYING WEIGHT</u>	<u>LOAD CAPACITY</u>
1.5 lbs.	250 lbs.

RELATED ACCESSORIES:

- Decks
- Legs
- Steps



DESCRIPTION:


Ratchet Straps. New Haven – 2" x 16' heavy duty tie down for securing loads in transportation. Yellow webbing with hook attachment.

TECHNICAL SPECIFICATIONS:

CARRYING WEIGHT	LOAD CAPACITY
4 lbs.	Breaking Strength – 10,000 lbs. Working Load Limit – 3335 lbs.

RELATED ACCESSORIES:

- Decks
- Guardrails
- Guardrail Rack



DESCRIPTION:


Supertool. Steeldeck® platform hand ratchet with combination socket. Available in either 19/22mm or 17/19mm.

TECHNICAL SPECIFICATIONS:

CARRYING WEIGHT	LOAD CAPACITY
1.5 lbs.	100 ft lbs.

RELATED ACCESSORIES:

- Decks



DESCRIPTION:


Torque Wrench. Used to set correctly the recommended 40 ft. lbs. bolt setting on couplers and scaffolding clamps.

TECHNICAL SPECIFICATIONS:

CARRYING WEIGHT	LOAD CAPACITY
2.5 lbs.	200 ft lb.

RELATED ACCESSORIES:

- Decks



DESCRIPTION:

Creeper. Low unit with wheel in each corner. Constructed from heavy duty moulded plastic. Virtually unbreakable. Used to make access easier under low stages to secure bolts between decks.

TECHNICAL SPECIFICATIONS:

CARRYING WEIGHT	LOAD CAPACITY
20 lbs.	250 lbs.

RELATED ACCESSORIES:

- Decks